



Biogas solutions
for optimum
plant efficiency

Crouse-Hinds
by **FAT•N**




A leader in reliability, efficiency and safety

MTL is recognised as a world leader in the development and supply of solutions for harsh, hazardous and industrial environments. Distinguished by its network of offices and manufacturing sites around the world, MTL engineers and professionals are accessible wherever you are, providing experience and expertise to help solve your challenges. As part of Eaton's Crouse-Hinds business, MTL can provide all the solutions necessary for the safety and success of your business.

Your plant efficiency and safety is our business

With over 30 years of application experience, our installed base includes supplied equipment used in digester gas analysis, landfill gas monitoring, CDM verification, gas-to-grid, CHP engine protection and efficiency and flare stack monitoring.

MTL's Biogas range of application specific solutions are designed exclusively for purpose, making them quick and easy to specify, reducing installation and start-up costs, optimising plant productivity and increasing plant availability.



Innovative product solutions for the global renewable energy market



Biogas is an extremely valuable renewable energy resource and is becoming increasingly more important in reducing our reliance on fossil fuels to produce energy. The main combustible component, like natural gas, is methane (CH₄) which can power an engine generator. Monitoring of oxygen levels within the process is required to ensure anaerobic conditions are maintained in the digester and that the methane/oxygen mix does not reach explosive levels. If increasing oxygen levels are detected, then it indicates an air leak into the system with the likely risk of a potential explosive hazard. Other gases present include hydrogen sulphide (H₂S), a highly toxic and corrosive gas that needs to be monitored to prevent plant damage and health risks.

By meticulously monitoring and controlling the biogas quality using the **new MTL GIR6000** analysers, the whole process can be safely optimised to produce the best return on investment from this increasingly important renewable energy commodity.

Introducing the next generation biogas analyser, the **MTL GIR6000** - featuring innovative modular sensor design.

The new **MTL GIR6000** offers a unique modular platform concept that is quick and easy to customise with a choice of up to six gas modules. This allows the user to choose only the gas elements they wish to measure. Reducing plant start-up costs is easy with an integrated solution that optimises your productivity and increases your plant availability. Rugged, reliable and easy to maintain, the MTL GIR6000 is an IP65 weather-proof system and is ATEX certified for use in a Zone 2 area for safety confidence.

- **Innovative intelligent modular sensor concept**
- **Measurement of up to 6 gas components (incl. CH₄, CO₂, H₂S & O₂)**
- **Modules allow easy customisation to the measurement task**
- **Intelligent sensors provide predictive diagnostic data**
- **Modules are supplied pre-configured and easily field replaceable**
- **Robust, weatherproof design to IP65**
- **Suitable for ATEX Zone 2 mounting**
- **Digital Communications options**
- **Future upgrade potential by adding/changing sensors**

The next generation in biogas measurement



New

GIR6000
Biogas Analyser

MTL



Crouse-Hinds
by EATN

30
YEARS OF GAS
EXPERIENCE

Typical Applications:

- Digester gas analysis
- Landfill gas monitoring
- CDM verification
- Gas-to-grid
- CHP engine protection and efficiency
- Flare stack monitoring

Helps achieve optimum plant efficiency
Low cost of ownership
Easy installation and commissioning

The new GIR6000 Biogas Analyser is the ideal instrument for biogas applications. Where the measurement of methane (CH₄), carbon dioxide (CO₂), oxygen (O₂) and hydrogen sulphide (H₂S) have implications on both the efficiency and safe working of biogas processes. Dedicated modules for up to 6 gases are available for use in Zone 2 hazardous area applications. Other trace elements are often also present and may need measurement.

Methane is the desired component in fuel gas for CHP engines or burners by using the measurements from the GIR6000. MTL use NDIR sensors to measure methane and carbon dioxide. These are sensors specially designed to withstand the damp, corrosive atmosphere often found in these applications.

Oxygen is an important process indicator in digester gas where a high reading may indicate a decrease in microbial activity due to poisoning or overloading. For this application, MTL use a special long-life electrochemical cell designed for use in the presence of acidic gases, e.g. carbon dioxide.

Hydrogen sulphide is present in digester gas in varying amounts depending on the waste composition. Hydrogen sulphide is highly toxic and can be extremely corrosive to engine generator sets. Accurate monitoring can prevent costly damage. MTL have developed a system which allows for continuous measurement of H₂S. Even at 2000ppm H₂S, good sensor lifetime can still be achieved.

Modular sensor design is an innovative feature of the MTL GIR6000. Self-diagnostics on each sensor inform the user if a sensor needs attention, minimising regular service and maintenance requirements. Replacement is quick and done on-site, without special tools or training and the modules are pre-configured to allow "plug-and-play" installation. All modules are replaceable in the field minimising downtime.

These are hazardous area applications by their very nature. All GIR6000 versions are designed for use in Zone 2 hazardous areas according to the Industry Code of Practice ESA ICoP Edition 2, a decision endorsed by the Health & Safety Executive in the UK.



Your plant performance Our measurement solution

G1010

Oxygen Analyser

- Long life oxygen sensor
- Hazardous area versions
- Remote sensor option
- Proven sensing technology

The **G1010 oxygen analyser** has numerous applications in safe or hazardous area biogas processes requiring the precise measurement of oxygen down to 0.01% v/v.

Oxygen is measured to detect potential explosive gas conditions and anaerobic activity in biogas processes. The proven MTL long life 'E' type oxygen cell has a working life of up to 5 years and is used in all biogas applications. The unique design of this sensor means it is compatible with many of the mildly acidic gases found in biogas without any detriment to its accuracy or working life.

A remote sensor option is available which is supplied in an IP65 enclosure, complete with flowmeter and flow control valve. Where sensor cable lengths are an issue, a loop powered IS transmitter can also be included in the remote enclosure.

For hazardous area applications, the sensor may be mounted remotely in the hazardous area, safely interfaced via an MTL zener barrier or galvanic isolator to the electronics unit in the safe area. Alternatively, the G1010 electronics can be mounted in the hazardous area by supplying the unit in an optional Ex d enclosure.



Typical Applications:

- Anaerobic digester plants
- Biogas purification
- Gas-to-grid
- Engine generators
- Gasification
- Flare stack monitoring


Surge Protection

Surges and spikes from nearby lightning strikes and high voltage cables can destroy or disrupt unprotected electronic equipment. Induced surges and transient voltages can destroy or, perhaps more worryingly, render inaccurate sensitive control and measurement instruments. Advanced surge protection devices from MTL safeguard all types of electric and electronic equipment from destructive high voltage transients and feature rapid operation, accurate voltage control and automatic resetting once the over-voltage has ceased.



Intrinsically Safe Interfaces

For over forty years MTL has been the world leader for intrinsic safety (IS) interfaces for hazardous areas, producing zener barriers, galvanic isolators and integrated IS to help prevent explosions in hazardous environments. With DIN-rail mounting or backplane integration, MTL have an interface solution for safeguarding hazardous area signals without compromising modern design practices.



A partner poised to meet your biogas monitoring needs



Eaton's Crouse-Hinds

The safety you rely on.

See the complete offering of Analysers for Gas Applications at www.mtl-inst.com

U.S. (Global Headquarters):
Eaton's Crouse-Hinds Business
1201 Wolf Street
Syracuse, NY 13208

(866) 764-5454
FAX: (315) 477-5179
FAX Orders Only:
(866) 653-0640

[crouse.customerctr@
cooperindustries.com](mailto:crouse.customerctr@cooperindustries.com)

For more information:

If further assistance is
required, please contact
an authorised MTL
Distributor, Sales Office,
or Customer Service
Department

AUSTRALIA

MTL Instruments Pty Ltd,
205-209 Woodpark Road, Smithfield,
New South Wales 2164, Australia

Tel: + 61 1300 308 374 Fax: + 61 1300 308 463
E-mail: mtlsalesanz@eaton.com

CHINA

Cooper Electric (Shanghai) Co. Ltd.
Room 2001, China Life Tower, 16 Chao Yang Men Wai Street,
Chao Yang District, Beijing, China 100020

Tel: + 86 10 5980 0231 Fax: + 86 10 8562 5725
E-mail: mtl-cn@eaton.com

FRANCE

MTL Instruments sarl,
7 rue des Rosieristes, 69410 Champagne au Mont d'Or
France

Tel: + 33 (0)4 37 46 16 70 Fax: +33 (0)4 37 46 17 20
E-mail: mtlfrance@eaton.com

GERMANY

MTL Instruments GmbH,
Heinrich-Hertz-Str. 12, 50170 Kerpen, Germany

Tel: + 49 (0)22 73 98 12 - 0 Fax: + 49 (0)22 73 98 12 - 2 00
E-mail: mtlgbmh@eaton.com

INDIA

MTL India,
No.36, Nehru Street, Off Old Mahabalipuram Road
Sholinganallur, Chennai - 600 119, India

Tel: + 91 (0) 44 24501660 /24501857 Fax: + 91 (0) 44 24501463
E-mail: mtlindiasales@eaton.com

ITALY

MTL Italia srl,
Via A. Meucci, 10, I-20094 Corsico (MI), Italy

Tel: + 39 (0)2 61802011 Fax: + 39 (0)2 61294560
E-mail: chmninfo@eaton.com

JAPAN

Cooper Crouse-Hinds Japan KK,
MT Building 3F, 2-7-5 Shiba Daimon, Minato-ku,
Tokyo, Japan 105-0012

Tel: + 81 (0)3 6430 3128 Fax: + 81 (0)3 6430 3129
E-mail: mtl-jp@eaton.com

NETHERLANDS

MTL Instruments BV
Terheijdenseweg 465, 4825 BK Breda
The Netherlands

Tel: +31 (0) 76 7505360 Fax: +31 (0) 76 7505370
E-mail: mtl.benelux@eaton.com

NORWAY

Norex AS
Fekjan 7c, Postboks 147,
N-1378 Nesbru, Norway

Tel: +47 66 77 43 80 Fax: +47 66 84 55 33
E-mail: info@norex.no

SINGAPORE

Cooper Crouse-Hinds Pte Ltd
No 2 Serangoon North Avenue 5, #06-01 Fu Yu Building
Singapore 554911

Tel: + 65 6 645 9888 Fax: + 65 6 487 7997
E-mail: sales.mtlising@eaton.com

SOUTH KOREA

Cooper Crouse-Hinds Korea
12F, Vision Tower, 707-2 Yeoksam-Dong Gangnam-Gu,
Seoul 135-080, South Korea.

Tel: +82 2 538 3481 Fax: +82 2 538 3505
E-mail: mtl-korea@eaton.com

UNITED ARAB EMIRATES

Cooper Industries/Eaton Corporation
Office 205/206, 2nd Floor SJ Towers, off. Old Airport Road,
Abu Dhabi, United Arab Emirates

Tel: +971 2 44 66 840 Fax: +971 2 44 66 841
E-mail: mtlgulf@eaton.com

UNITED KINGDOM

Measurement Technology Limited,
Great Marlings, Butterfield, Luton
Beds LU2 8DL

Tel: + 44 (0)1582 723633 Fax: + 44 (0)1582 422283
E-mail: mtlenquiry@eaton.com

AMERICAS

Cooper Crouse-Hinds MTL Inc.
3413 N. Sam Houston Parkway W.
Suite 210, Houston TX 77086, USA

Tel: + 1 281-571-8065 Fax: + 1 281-571-8069
E-mail: mtl-us-info@eaton.com

Measurement Technology Limited

Great Marlings, Butterfield, Luton
Beds LU2 8DL, UK.

Tel: + 44 (0)1582 435600 Fax: + 44 (0)1582 422283
E-mail: mtlgas@eaton.com

www.mtl-inst.com

Crouse-Hinds
by **EATON**

© 2014 MTL
All Rights Reserved
ZL-B-BIOGAS-EN-0614
June 2014

Measurement Technology Limited

Great Marlings, Butterfield, Luton
Beds LU2 8DL, UK.
Tel: + 44 (0)1582 723633 Fax: + 44 (0)1582 422283
E-mail: mtlenquiry@eaton.com

Eaton is a registered trademark.

All other trademarks are property
of their respective owners.